



2100 Pennsylvania Avenue, NW  
Washington, DC 20037-3213  
T 202.293.7060  
F 202.293.7860  
www.sughrue.com

August 19, 2003

**MAIL STOP PATENT APPLICATION**  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Re: Application of Hiroyuki KINUGAWA  
VALVE TIMING ADJUSTING APPARATUS  
Assignee: **MITSUBISHI DENKI KABUSHIKI KAISHA**  
Our Ref. Q76939

00746 U.S. PTO  
10/642590  
08/19/03

Dear Sir:

Attached hereto is the application identified above comprising forty-four (44) sheets of the specification, including the claims and abstract, eleven (11) sheets of drawings, executed Assignment and PTO 1595 form, and executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement and PTO/SB/08 A & B (modified).

The Government filing fee is calculated as follows:

Total claims	$\frac{10}{2} - 20$	$=$	$\frac{18}{84}$	$\times$	\$18.00	$=$	\$0.00
Independent claims	$\frac{2}{2} - 3$	$=$	$\frac{2}{84}$	$\times$	\$84.00	$=$	\$0.00
Base Fee							\$750.00

**TOTAL FILING FEE**  
Recordation of Assignment  
**TOTAL FEE**

**\$750.00**  
**\$40.00**  
**\$790.00**

Checks for the statutory filing fee of \$750.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.



SUGHRUE MION, PLLC

Attorney Docket No: Q76939

Filing Date: August 19, 2003

Page 2

Priority is claimed from:

Country

Application No

Filing Date

JAPAN

2002-313114

October 28, 2002

The priority document is enclosed herewith.

Respectfully submitted,  
SUGHRUE MION, PLLC

Attorneys for Applicant

By:

  
Richard C. Turner

Registration No. 29,710

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE

**23373**

CUSTOMER NUMBER

RCT/tsh